

Fundamental Algorithms

Aufgabe 1

Give, in Landau notation, the relationships between the functions in the table below. Fill each field in column f and row g with one of $\{o, O, \omega, \Omega, \Theta\}$. Be as precise as possible.

	$n \log(n)$	n	$n \log \log(n)$	$n^{1.1}$	$n \log^2(n)$	$n\sqrt{n}$
$n \log(n)$						
n						
$n \log \log(n)$						
$n^{1.1}$						
$n \log^2(n)$						
$n\sqrt{n}$						

Aufgabe 2

Prove the following:

- | | |
|--|---|
| a) $g = o(f) \Rightarrow g = O(f)$ | d) $g = \Theta(f) \Leftrightarrow f = O(g) \wedge g = O(f)$ |
| b) $g = \omega(f) \Rightarrow g = \Omega(f)$ | e) $g = o(f) \Rightarrow g \neq \Omega(f)$ |
| c) $g = \Omega(f) \Leftrightarrow f = O(g)$ | f) $g = \omega(f) \Rightarrow g \neq O(f)$ |

Make sure to prove both directions of equivalence relations. For which of the implications a),b),e),f) does the opposite direction hold as well ?

Aufgabe 3

Let SUPERCOMPUTER be a very fast computer which can perform 10^9 operations per second. For some problem of size n the table below lists the number of operations necessary. More specifically, the i th algorithm needs $t_i(n)$ operations:

$$\begin{aligned}
 t_1(n) &= 2 \cdot n \\
 t_2(n) &= n \log_2(n) \\
 t_3(n) &= 2.5 \cdot n^2 \\
 t_4(n) &= \frac{1}{1000} \cdot n^3 \\
 t_5(n) &= 3^n.
 \end{aligned}$$

Determine, for which maximal input sizes each algorithm needs at most 1 second, 1 minute, 1 hour.

How do these values change, if the computer is upgraded to be 10 times faster (i.e. can do 10^{10} operations) ?


Aufgabe 4

Let T be a binary tree. Prove

- T at most $2^{\ell-1}$ nodes has within a level ℓ (with $1 \leq \ell \leq d$).
- T has at most 2^{d-1} leafs.

Aufgabe 5

Given a heap whose nodes are numbered (in the usual graphical representation) level-wise from left to right. The first number is 1 (at the root). Example:




Let v be an inner node with number i . Show the following:

- The left child of v has number $2i$.
- The right child of v (if it exists) has number $2i + 1$.
- The father of v (if it exists) has number $\lfloor \frac{i}{2} \rfloor$.
- The level of v is equal to the length of the binary representation of i , i.e. $\ell(i) = \lfloor \log i \rfloor + 1$.

Aufgabe 6

Given the array $A = [9, 22, 6, 19, 84, 10, 17, 3, 5]$. Illustrate graphically the following operations

- `create_heap(A, 9)`



- Three times `delete_min(h)` on the above created heap h .

Show all intermediate steps.

Aufgabe 7

We want to define a new operation `increase_min` for heaps with pair-wise different integer keys. This operation shall increase the minimal key (the one in the root) of the heap h by d . Make sure your algorithm ensures that the heap is still valid afterwards. The heap h is given as a tree, with a pointer to the root. At each node, pointers to the children are stored.

- Give an efficient algorithm for `increase_min`. The other heap operations (`create_heap`, `delete_min` und `reheap`) may not be used explicitly.
- Give a tight upper bound (O -notation), and explain why it holds.

Aufgabe 8

Give an algorithm to print out the keys stored in a binary search tree - in increasing order. The running time shall be linear on the number of nodes in the tree. The tree is given as a pointer to the root. At each node, pointers to the children are stored.


Aufgabe 9

Given a binary search tree with keys from 1 to 1000. We are searching an element with key 363. Which of the following sequences of keys can not possibly appear in the sequence of keys of the nodes visited during the search ?

- 2, 252, 401, 398, 330, 344, 397, 363
- 924, 220, 911, 244, 898, 258, 362, 363
- 925, 202, 911, 240, 912, 245, 363
- 2, 399, 387, 219, 266, 382, 381, 278, 363
- 935, 278, 347, 621, 299, 392, 358, 363

Aufgabe 10

Given the following AVL tree:



- Prove, that an AVL tree of height h has at most $2^{h+1} - 1$ nodes.
- Execute `insert(11)` on the given tree. Show all intermediate steps of the operation (rebalancing, balances, etc.).

Aufgabe 11

Given an undirected graph $G = (V, E)$ with $V = \{1, 2, \dots, 15\}$. The edge set E is:

1: 2,5,8	2: 1,4,13	3: 8,11,14
4: 2,7,13,14	5: 1,6,7	6: 5,8,10
7: 4,5,10,14	8: 1,3,6	9: 15
10: 6,7,12	11: 3	12: 10,13
13: 2,4,12	14: 3,4,7	15: 9

- a) Compute the adjacency matrix of the given graph.
- b) Determine the DFS numbers of the nodes of a DFS traversal starting at node 5 (traverse the adjacency lists of the nodes from left to right).


Aufgabe 12

- a) Show that for each directed graph $G = (V, E)$

$$|E| = \sum_{v \in V} d^+(v) = \sum_{v \in V} d^-(v) = \frac{1}{2} \sum_{v \in V} d(v).$$

Aufgabe 13

- a) Given the directed graph $G = (V, E)$ below, do a breath first search on G . At each step, give the current content of the queue. For each node, determine the BFS number.
- b) Do the same for the undirected version of G : $G' = (V, \{\{v, w\} : v, w \in V \wedge (v, w) \in E\})$



Aufgabe 14

In the lecture, we looked at how many comparisons insertion sort needs to sort an array with n elements. Determine asymptotic time complexity including all operations (i.e. including copying elements around) in the worst case. Give an example for this worst case.

Aufgabe 15

Let T_1, T_2 be two (a, b) -trees with n_1, n_2 nodes, such that for all $x \in T_1$ and $y \in T_2$ it holds that: $\text{key}(x) < \text{key}(y)$.

Design an algorithm CONCATENATE, which merges T_1 and T_2 into a new (a, b) -tree with running time $O(\log(n_1 + n_2))$.

Aufgabe 16

Let f, g be two functions with $\mathbf{N} \rightarrow \mathbf{R}^+$. Prove

a)

$$\lim_{n \rightarrow \infty} \frac{f(n)}{g(n)} < \infty \Rightarrow f(n) = O(g(n))$$

b)

$$\lim_{n \rightarrow \infty} \frac{f(n)}{g(n)} > 0 \Rightarrow f(n) = \Omega(g(n))$$

Why doesn't the reverse hold ? Give a counter example for each.